

[Google](#)

Identity and Access System LDAP query

[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 1 - 10 of about 922,000 for [Identity and Access System LDAP query](#). (0.57 seconds)**[Identity Management Success » Blog Archive » How to Find Anything ...](#)**

This post will deal with LDAP's relation to **Identity Access Management systems**, describing the way various vendors, including Sun, Oracle, and Microsoft ...
[www.linksbusinessgroup.com/blog/2007/07/26/how-to-find-anything-in-ldap-part-ii/](#) - 41k -
 Cached - [Similar pages](#)

[LDAP and password Resources on TechRepublic](#)

I am trying to set up an **LDAP query** for my AD saved queries to keep an eye on my ...
Identity and Access Management Engineer Cambridge, MA, 04/18/2007 ...
[search.techrepublic.com.com/search/LDAP+and+password.html](#) - 52k -
 Cached - [Similar pages](#)

[\[PPT\] Identity Management Infrastructure at The University of Kansas](#)

File Format: Microsoft Powerpoint - [View as HTML](#)
 Both currently use direct **query** against LDAP. ANSR (our network authN/authZ system) directly queries LDAP. AIMS. 16. 11 March 2005. Future Directions ...
[archie.csce.uark.edu/gpn/publications/AIMStalk.ppt](#) - [Similar pages](#)

[\[PPT\] Microsoft Identity Integration Server & Role Base Access](#)

File Format: Microsoft Powerpoint - [View as HTML](#)
 Microsoft **Identity** Integration Server & Role Base **Access**. Theo Kosteljik ... Membership in AD or Local Server, or AzMan Groups; **LDAP Query** Groups; BizRules ...
[download.microsoft.com/download/7/2/e/72e21bea-63f6-4665-bd0c-8dde04f29974/PPT's13april.ppt](#) - [Similar pages](#)

[Mark Wilcox's Weblog : Weblog](#)

User **Identity** is the Electron of Computer Security **System** data **access** to **query** the authoritative data source for any **LDAP query** at the time it is made. ...
[www.jroller.com/mwilcox/category/Identity](#) - 37k - [Cached](#) - [Similar pages](#)

[3 Making Schema Data Available to the Identity System](#)

Every LDAP attribute has an associated data type. In the **Identity System**, This rule causes an **LDAP query** on the printer object class and builds a list ...
[download-uk.oracle.com/docs/cd/B28196_01/idmanage.1014/b25343/objects.htm](#) - 127k -
 Cached - [Similar pages](#)

[Monitor ActiveXperts and Exchange using an LDAP query](#)

For secure **access**, LDAP supports Transport Layer Security (TLS), ... For instance, Sun's Solaris operating **system** provides support for LDAP as its naming ...
[www.activexperts.com/activmonitor/functions/ldap/](#) - 33k - [Cached](#) - [Similar pages](#)

[Arrangement for retrieving recorded audio announcements from a ...](#)

Method and **system** for audibly announcing an indication of an **identity** of a If the name **query** resource 44 receives a redirect response from the LDAP ...
[www.patentstorm.us/patents/6940954-description.html](#) - 50k - [Cached](#) - [Similar pages](#)

[ms-DS-Az-LDAP-Query Attribute \(Windows\)](#)

A string that defines the **LDAP query** (max length 4096) which determines the ...
 Administration and Management > Directory, **Identity**, and **Access** Services ...
[msdn2.microsoft.com/en-us/library/ms677391.aspx](#) - 13k - [Cached](#) - [Similar pages](#)

[Identity & Access Management: Create Custom Directories with ADAM ...](#)

Identity & Access Management: Create Custom Directories with ADAM ... Ldp This is another raw **LDAP** tool for viewing and managing the ADAM instance. ...
www.microsoft.com/technet/technetmag/issues/2006/07/CustomDir/ - 52k -
[Cached](#) - [Similar pages](#)

1 2 3 4 5 6 7 8 9 10 **Next**

Try [Google Desktop](#): search your computer as easily as you search the web.

Identity and Access System LDAP q

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Products](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

[Google](#)

Identity and Access System LDAP query filters

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results 1 - 10 of about **693,000** for **Identity and Access System LDAP query filters**. (0.75 seconds)

Identity Management Success » Blog Archive » How to Find Anything ...

This post will deal with LDAP's relation to **Identity Access Management systems**, describing the way various vendors, including Sun, Oracle, and Microsoft ...

www.linksbusinessgroup.com/blog/2007/07/26/how-to-find-anything-in-ldap-part-ii/ - 41k -

Cached - [Similar pages](#)

3 Making Schema Data Available to the Identity System

Oracle® **Access Manager Identity** and Common Administration Guide 10g (10.1.4.0.1)

See "Writing LDAP Filters Using Query Builder" for details. ...

download-uk.oracle.com/docs/cd/B28196_01/idmanage.1014/b25343/objects.htm - 127k -

Cached - [Similar pages](#)

A Deploying with Active Directory

When the user tries to log in to the **Access System**, a Basic Over LDAP dialog box To configure single sign-on with the **Identity** or the **Access System** ...

download-uk.oracle.com/docs/cd/B28196_01/idmanage.1014/b25343/deply_ad.htm - 40k -

Cached - [Similar pages](#)

[More results from download-uk.oracle.com]

Cool Solutions: WalkID: The iChain LDAP-Query-enabled Plug-in

To process a **query** of one specific attribute at one **Ldap** server using the ... that uses dynamic values (Macro Attribute) of logged objects on **LDAP filters**. ...

www.novell.com/coololutions/feature/16369.html - 22k - [Cached](#) - [Similar pages](#)

Mark Wilcox's Weblog : Weblog

User **Identity** is the Electron of Computer Security **System** data **access** to **query** the authoritative data source for any **LDAP query** at the time it is made. ...

www.jroller.com/mwilcox/category/Identity - 37k - [Cached](#) - [Similar pages](#)

Simplify directory access with Spring LDAP - Java World

Once you have set the conditions you can retrieve the actual **LDAP query** generated by calling **Filter.encode()**. This method will return a string ...

www.javaworld.com/javaworld/jw-06-2007/jw-06-springldap.html?page=3 - 56k -

Cached - [Similar pages](#)

Identity & Access Management: Create Custom Directories with ADAM ...

Identity & Access Management Brian Redmond ... Ldp This is another raw **LDAP** tool for viewing and managing the ADAM instance. Ldp.exe can be used with any ...

www.microsoft.com/technet/technetmag/issues/2006/07/CustomDir/ - 52k -

Cached - [Similar pages](#)

Query-Filter (Windows)

CN, **Query-Filter**. Ldap-Display-Name, queryFilter ... Administration and Management > Directory, **Identity**, and **Access Services**.> Directory Services Overview ...

msdn2.microsoft.com/EN-US/library/ms679433.aspx - 14k - [Cached](#) - [Similar pages](#)

Browse by Tags - ASP.NET Forums

In a config file I must write **LDAP query** for catch all users that are in ... domain subdomain **filter**, ActiveDirectory ADAM, **ldap** tutorial directoryservices ...

forums.asp.net/tags/LDAP/default.aspx?PageIndex=4 - 35k - [Cached](#) - [Similar pages](#)

1dent1ty cHa0s: October 2006

<http://www.google.com/search?hl=en&rls=GGLD%2CGGLD%3A2004-30%2CGGLD%3Aen&q=Identi...> 11/26/2007

You can use any **LDAP query** tool to locate attributes in this state. ... **LDAP Query Filter:**
.... DEC 2008: Designing an **Identity & Access** Managemen. ...
www.identitychaos.com/2006_10_01_archive.html - 146k - [Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **Next**

Download [Google Pack](#): free essential software for your PC

Identity and Access System LDAP q

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Web Images Products News Maps Gmail more ▾

Sign in

Google

Identity and Access System LDAP query filters

Search

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 11 - 20 of about 693,000 for [Identity and Access System LDAP query filters](#). (0.50 seconds)

LDAP Settings (Remote LDAP Authentication Source)

Note: You must install the Plumtree **Identity Service for LDAP** to access this ... In the User

Query Filter box, type a **filter** that limits the results to only ...

<https://ptprod-ext.uhc.com/imageserver/webservices/>

[ldap/en/authenticationsource_remote_ldap_ldapsettings.htm](#) - 11k -

Cached - [Similar pages](#)

Middleware Integration with Existing Applications: Current Design ...

This mechanism can use attributes inherited from the authentication mechanism used or from **LDAP query filters**. Sympa SOAP interface ...

[middleware.internet2.edu/mlist/docs/internet2-mace-mlist-middleware-integration-issues-](http://middleware.internet2.edu/mlist/docs/internet2-mace-mlist-middleware-integration-issues-200510.html)

[200510.html](#) - 79k - [Cached](#) - [Similar pages](#)

Support for RDBMS in LDAP system - Patent 20050080792

1 includes an integrated **Identity System** and **Access System**, other embodiments may only For example, an **LDAP query** is translated to a select statement. ...

www.freepatentsonline.com/20050080792.html - 130k - [Cached](#) - [Similar pages](#)

[PDF] Identity Management and Enterprise Directories in a University ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

NMI-EDIT **Identity and Access** Management Case Study Series. January 2006. 55.

Entering a numeric string such as "6400" yields the **LDAP query**: ...

www.nmi-edit.org/case_studies/Alaska200602.pdf - [Similar pages](#)

BMCDN : Using AR System®'s AREA LDAP Functionality to Assign Groups

There are two fields, Group Base and Group **Filter**, that are used to build an **LDAP query** to find the groups for a specific user. There is a third field, ...

developer.bmc.com/jiveProd/kbclick.jspa?categoryID=528&externalID=35&searchID=-1 -

33k - [Cached](#) - [Similar pages](#)

Sun Java System Access Manager - How to convert to ADAM (Active ...

Is there an example of configuring AM to use AD for the **identity** I turned up the AM debug and saw what looked to be an **LDAP query** for ou=people. ...

forum.java.sun.com/thread.jspa?threadID=5093434&messageID=9321758 - 54k -

[Cached](#) - [Similar pages](#)

D46987GC10

Identity System Applications and Components Use of **Query Builder Access System**

Architecture ... Object Selector Display Type and Search **Filters** ...

education.oracle.co.uk/html/oracle/1001US/D46987GC10.htm - 11k -

[Cached](#) - [Similar pages](#)

AD Authentication and IIS 6.0 in asp.net (C#) - IIS.net

<**identity impersonate="true"/**> ... Disabled anonymous **access** in IIS, and added

<**authentication** ... in web.config and used my credentials in **LDAP query**. ...

forums.iis.net/p/1144412/1849301.aspx - 42k - [Cached](#) - [Similar pages](#)

draft-ietf-ldapext-acl-model-05 - Access Control Model for LDAP

An "**access identity**" is an **identity** which is used by an **access** decision **LDAP Access**

Control Policy **Query** operations: invocations of **ldap** search when ...

tools.ietf.org/html/draft-ietf-ldapext-acl-model-05 - 94k - [Cached](#) - [Similar pages](#)

ASA 8.0: Configure LDAP Authentication for WebVPN Users - Cisco ...
Note: In this example Lightweight Directory Access Protocol (LDAP) authentication is ... for more information about how to grant LDAP query privileges. ...
www.cisco.com/en/US/products/ps6120/products_configuration_example09186a00808c3c45.shtml - 33k - Cached - Similar pages

Previous

1234567891011

Next

Identity and Access System LDAP q

Search

Search within results

|

Language Tools

|

Search Tips

[Web](#) [Images](#) [Products](#) [News](#) [Maps](#) [Gmail](#) [more](#) ▾[Sign in](#)[Google](#)

Identity and Access System LDAP query filters

[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results 1 - 10 of about **129,000** for **Identity and Access System LDAP query filters first partition expression**. (0.63 sec)**Support for RDBMS in LDAP system - Patent 20050080792**For example, some **Identity Systems** are designed to work with **LDAP** directories. The **partition expression** is in **LDAP filter** format. The **access** request ...www.freepatentsonline.com/20050080792.html - 130k - [Cached](#) - [Similar pages](#)**Partitioning data access requests - Patent 20050080766**[0006] Some **Identity Systems** use **LDAP** directories to store data. ... The **filter expression** is provided to the **first data source** if the **filter expression** ...www.freepatentsonline.com/20050080766.html - 133k - [Cached](#) - [Similar pages](#)[[More results from www.freepatentsonline.com](#)]**Creating More Efficient Microsoft Active Directory-Enabled ...**When creating an **LDAP** dialect, the **query filter** should have at least one **Identity and Access Services** > **Creating More Efficient Microsoft Active ...**msdn2.microsoft.com/en-US/library/ms808539.aspx - 53k - [Cached](#) - [Similar pages](#)**Distributed evaluation of directory queries using a topology ...**An **LDAP query** consists of a base entry DN, a search scope, and a **filter**. For server **query** nodes, the **query expression Q** is **first** generated by ...www.patentstorm.us/patents/6980985-description.html - 66k - [Cached](#) - [Similar pages](#)**CHAPTER 7**If the **filter** is a simple **query**, with just one **expression** (e.g., provide connection of disparate **LDAP systems**. For instance, the **LDAP** client ...www.springerlink.com/index/ln1088748076w27r.pdf - [Similar pages](#)**Category Browsing Results**Understanding DB2 **Query Access** Plans. Overview Area. **LDAP** Support on Linux.Dynamic LPAR Support for AIX5.2B. Dynamic **System** Domain Support. ...opamp.com/cf/browse.cfm?Main=MISCELLANEOUS&Sub1=DB2 - 84k -[Cached](#) - [Similar pages](#)**Opamp Title-Keyword, Author & ISBN Search Results****System Access. Partition Manager. Performance Monitors. ... 6) Create the First Virtual Partition. 7) Boot the First Virtual Partition. ...**opamp.com/cf/keyword.cfm?SRow=1&Keywords=HP+UX - 97k - [Cached](#) - [Similar pages](#)**oreilly.com -- Online Catalog: LDAP System Administration**If you want to be a master of your domain, **LDAP System Administration** will help you ...**Access** to apply search **filters** (e.g., Are there any entries with a ...www.oreilly.com/catalog/ldapsa/toc.html - 408k - [Cached](#) - [Similar pages](#)**Sun Java[TM] System Identity Manager 7.1 Release Notes**You can now create a specific **expression** rather than **first** creating a **BLOCK** andmethod can be used to pass a search **filter** to an **LDAP** resource adapter. ...docs.sun.com/source/820-0815/doc_addenda.html - 200k - [Cached](#) - [Similar pages](#)**Distributed/Heterogeneous Query Processing in Microsoft SQL Server****First**, the **system** introduces well- ... **system** using other widely used data **access**interface must introduce startup **filter expressions** to dynami- ...ieeexplore.ieee.org/iel5/9680/30564/01410211.pdf?arnumber=1410211 - [Similar pages](#)

1 2 3 4 5 6 7 8 9 10 **Next**

Download [Google Pack](#): free essential software for your PC

Identity and Access System LDAP q

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Products](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

[Google](#)

Identity and Access System LDAP query filters

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results **11 - 20** of about **129,000** for **Identity and Access System LDAP query filters first partition expression**. (0.60 sec)

A secure platform for peer-to-peer computing in the internet ...

cabularies to **partition** search spaces and enable juxtaposi- tion of multiple P2P applications signing the E-Speak **system**. **First**, we can have multiple ...
ieeexplore.ieee.org/iel5/7798/21442/00994532.pdf?arnumber=994532 - [Similar pages](#)

BytePile.com - Definitions & Terms - L

1) In a network, latency, a synonym for delay, is an **expression** of how much Lightweight Directory **Access** Protocol (**LDAP**) is a software protocol for ...
bytepile.com/definitions-l.php - 62k - [Cached](#) - [Similar pages](#)

[PDF] Active Directory as a Directory Service

File Format: PDF/Adobe Acrobat - [View as HTML](#)

For a comparison with the SQL (Structured **Query** Language) **expression** following examples as **first** parameter of the **LDAP filter**. CODE03.CPP ...
www.disco.unimib.it/uploadredirect/upload/AD-as-a-DS.pdf - [Similar pages](#)

[PDF] Isode Web to LDAP Access Server Administration Guide

File Format: PDF/Adobe Acrobat - [View as HTML](#)

system access controls on Windows NT to protect Web **Access** Server information. The String Representation of **LDAP Search Filters**. T. Howes. ...
www.isode.com/Documentation/WEBLDAP.pdf - [Similar pages](#)

Presentations

Data of interest is identified when **Expression Filter** matches incoming data with **Identity** management, **access** control, and security are among the most ...
www.teamycc.com/RMOUG_2008_Conference/presentations.htm - 183k - [Cached](#) - [Similar pages](#)

Data Processing: Database And File Management Or Data Structures ...

The **first partition** has a **first file system** comprising (i) a plurality of **first** Instead of discarding the encoding of a **query's** sub-**expression** if no ...
www.freshpatents.com/x1707001000psbc.php - 493k - [Cached](#) - [Similar pages](#)

Data processing: database and file management or data structures ...

20060004803 - Write-**access** control **system**: A method and **system** is provided so that requests to a **first** application (e.g., an **LDAP** directory) are routed to a ...
www.freshpatents.com/Data-processing--database-and-file-management-or-data-structures-dt200601ntc707.php - 267k - [Cached](#) - [Similar pages](#)

IBM SJ 46-3 | A configuration management database architecture in ...

Under the covers, CCMDB translates the **filter** into SQL (Structured **Query** storage **access** method) data sets, and IBM IMS* (information management **system**) ...
www.research.ibm.com/journal/sj/463/madduri.html - 70k - [Cached](#) - [Similar pages](#)

ActiveRoles Management Shell for Active Directory version 1.0 ...

Ldap (is the default mode starting from this build) means: use **LDAP** wildcards ... Name Resolution **Ldap query** (translates to the following **ldap filter**: ...
powergui.org/servlet/JiveServlet/download/173-3446-9531-1328/arms%20build%20history.txt - 107k - [Cached](#) - [Similar pages](#)

CWE - CWE OWASP Slice (Draft 7)

Now, this **query** can be broken down into: [1] a **first SQL query**: SELECT ITEM,PRICE

<http://www.google.com/search?q=Identity+and+Access+System+LDAP+query+filters+first+partition+e...> 11/26/2007

FROM ... contents, or commands of the **LDAP query** before it is executed. ...
cwe.mitre.org/data/slices/owasp.html - 148k - [Cached](#) - [Similar pages](#)

[Previous](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#)

[Next](#)

Identity and Access System LDAP q

Search

[Search within results](#)

[Language Tools](#)

[Search Tips](#)

[Web](#) [Images](#) [Products](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

Identity and Access System LDAP query filters

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results 1 - 10 of about 127,000 for Identity and Access System LDAP query filters first partition expression data store

Partitioning data access requests - Patent 20050080766

[0006] Some **Identity Systems** use LDAP directories to **store data**. ... for a **data access** request and accessing a **partition expressions** for **first data** source ...

www.freepatentsonline.com/20050080766.html - 133k - [Cached](#) - [Similar pages](#)

Support for RDBMS in LDAP system - Patent 20050080792

1 includes an integrated **Identity System** and **Access System**, The **partition expression** for the **first data store** may be (region=United States) and the ...

www.freepatentsonline.com/20050080792.html - 130k - [Cached](#) - [Similar pages](#)

[More results from www.freepatentsonline.com]

Creating More Efficient Microsoft Active Directory-Enabled ...

When creating an LDAP dialect, the **query filter** should have at least one indexed After retrieving an object for the **first time**, **store** the GUID for the ...

msdn2.microsoft.com/en-US/library/ms808539.aspx - 53k - [Cached](#) - [Similar pages](#)

Distributed evaluation of directory queries using a topology ...

An LDAP **query** consists of a base entry DN, a search scope, and a **filter**. For server **query** nodes, the **query expression Q** is **first** generated by ...

www.patentstorm.us/patents/6980985-description.html - 66k - [Cached](#) - [Similar pages](#)

IBM SJ 46-3 | A configuration management database architecture in ...

Without relationships between **data** objects in a CMDB, the **data store** would ... of the configuration queries can be expressed by a single **filter expression**. ...

www.research.ibm.com/journal/sj/463/madduri.html - 70k - [Cached](#) - [Similar pages](#)

C H A P T E R 7

If the **filter** is a simple **query**, with just one **expression** (e.g., provide connection of disparate LDAP **systems**. For instance, the LDAP client ...

www.springerlink.com/index/ln1088748076w27r.pdf - [Similar pages](#)

Distributed/Heterogeneous Query Processing in Microsoft SQL Server

system using other widely used **data access** interface. such as ODBC or JDBC as the "plug-in must introduce startup **filter expressions** to dynami- ...

ieeexplore.ieee.org/iel5/9680/30564/01410211.pdf?arnumber=1410211 - [Similar pages](#)

Data Processing: Database And File Management Or Data Structures ...

The **first partition** has a **first file system** comprising (i) a plurality of **first clusters** configured to **store data** having accesses faster than a **first worst** ...

www.freshpatents.com/x1707001000psbc.php - 493k - [Cached](#) - [Similar pages](#)

oreilly.com -- Online Catalog: LDAP System Administration

First, it can use LDAP as a **data store** for RADIUS attribute values. **Access** to apply search **filters** (e.g., Are there any entries with a ...

www.oreilly.com/catalog/ldapsa/toc.html - 408k - [Cached](#) - [Similar pages](#)

Category Browsing Results

Understanding DB2 **Query Access** Plans. Overview Area. **Database Context** Area. LDAP Support on Linux. Dynamic LPAR Support for AIX5.2B. Dynamic **System** ...

opamp.com/cf/browse.cfm?Main=MISCELLANEOUS&Sub1=DB2 - 84k -

[Cached](#) - [Similar pages](#)

12345678910

Next

Try [Google Desktop](#): search your computer as easily as you search the web.

Identity and Access System LDAP q

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Products](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)[Google](#)Identity and Access System LDAP query filters [Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web Results 11 - 20 of about 127,000 for [Identity and Access System LDAP query filters first partition expression data stor](#)**

CWE - CWE OWASP Slice (Draft 7)

For example, custom cookies commonly **store session data** or persistent **data** across contents, or commands of the **LDAP query** before it is executed. ...
cwe.mitre.org/data/slices/owasp.html - 148k - [Cached](#) - [Similar pages](#)

BytePile.com - Definitions & Terms - L

The **first** step in synchronizing **LDAP** directories is extracting the full ... LTO was developed in two different formats - one for fast **data access** and ...
bytepile.com/definitions-l.php - 62k - [Cached](#) - [Similar pages](#)

Red Hat Glossary

An **access system** that keeps unauthorized users from accessing resources on **Data** is written to a swap **partition** when there is not enough main memory to ...
<https://redhat.com/docs/glossary/> - 105k - [Cached](#) - [Similar pages](#)

O'Reilly - Safari Books Online - 0131470248 - A Practical Guide to ...

A **filter** transforms the input stream of **data** and sends it to standard output.
Traditionally, **LDAP** is used to **access** information such as email ...
safari.oreilly.com/0131470248/gloss01 - [Similar pages](#)

Presentations

Data of interest is identified when **Expression Filter** matches incoming **data** with
Identity management, **access** control, and security are among the most ...
www.teamycc.com/RMOUG_2008_Conference/presentations.htm - 183k - [Cached](#) - [Similar pages](#)

Bookpool: Oracle Database 10g New Features: Oracle10g Reference ...

Access to Single Sign On Wallet. Key **Store** Interface. End-to-End **Identity** Propagation.
Database Authentication with Standard **LDAP** Password Verifiers ...
www.bookpool.com/sm/0974071609 - 82k - [Cached](#) - [Similar pages](#)

Targeted CR List for ASE 15.0.1 Technote: Database Management ...

These constant **expressions** involved VARCHAR **data** types. for rows switches on ILA at the parent level and the next **access** moves to a new **partition**. ...
www.sybase.com/detail?id=1040214 - 138k - [Cached](#) - [Similar pages](#)

intro(1) - phpMan

1S Commands specific to the SunOS **system**. OTHER SECTIONS See these sections
convert a JavaSpaces **datastore** to the newer Reliable Log **datastore** format ...
cc.in2p3.fr/doc/phpman.php/man/intro/1 - 168k - [Cached](#) - [Similar pages](#)

Index - Safehaus

Virtual directory enables federating (aggregating) **identity data** from multiple Create a new **data store**, Choose **LDAP** as the type of **data store** ...
docs.safehaus.org/display/PENROSE/Index - 175k - [Cached](#) - [Similar pages](#)

Oracle9i Database New Features

Oracle9i Flashback **Query** lets users and applications **query data** as it appeared in
Multi-process support for higher-concurrency **LDAP access** has been ...
www.cs.uvm.edu/oracle9doc/server.901/a90120/ch2_feat.htm - 176k - [Cached](#) - [Similar pages](#)

[Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

Identity and Access System LDAP q

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Products](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)[Google](#)Identity and Access System LDAP query filters [Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results 21 - 30 of about **127,000** for **Identity and Access System LDAP query filters first partition expression data stor****Information home: IBM WebSphere Application Server Notices IBM ...**Configuring multiple LDAP servers for user registry failover Diagnosing problems with **data store exclusive access** locks ...publib.boulder.ibm.com/infocenter/ws60help/index.jsp - 977k - [Cached](#) - [Similar pages](#)**[PDF] LDAP and OpenLDAP**

File Format: PDF/Adobe Acrobat

of an **LDAP database** or **partition**. For example, for the **database**, rooted at dc=Whitemice,dc=Org., a **query** for an object at. dc=BlackRat,dc=Org would be a ...www.uvm.edu/ets/projects/ldap/ldapv3.pdf - [Similar pages](#)**BABEL: A Glossary of Computer Related Abbreviations and Acronyms**D/A Digital to Analog DAA **Data Access** Arrangement + Decimal Adjust for Signal Quality Error (test) SQL/DS Structured **Query Language/Data System** [IBM] ...www.geocities.com/ikind_babel/babel/babel.html - 238k - [Cached](#) - [Similar pages](#)**Data processing: database and file management or data structures ...**20060167927 - **Data query** and location through a central ontology model: A **data**20060155716 - Schema change governance for **identity store**: A **system** ...www.freshpatents.com/Data-processing--database-and-file-management-or-data-structures-dt200607ntc707.php - 272k - [Cached](#) - [Similar pages](#)**Opamp Title-Keyword, Author & ISBN Search Results**Fundamental Kernel **Data** Structures: A **First** Pass. Kernel Process Tables. The Kernel File **System** **System Access**. **Partition** Manager. Performance Monitors. ...opamp.com/cf/keyword.cfm?SRow=1&Keywords=HP+UX - 97k - [Cached](#) - [Similar pages](#)**Abbreviations**DACS : Digital **Access** Cross-connect **System** / **Data** Acquisition and ControlSubsystem IAM : Inverse ATM Multiplexing / **Identity and Access** Management ...users.skynet.be/agpym/abbreviations2.html - 163k - [Cached](#) - [Similar pages](#)**Glossary of Common UNIX and General Computer Terms**A **data** structure used by a BSD-type of terminal driver to **store data**For example, the root file **system** is usually on the **first partition**, named a. ...

h30097.www3.hp.com/docs/base_doc/

DOCUMENTATION/V51B_HTML/ARH8XETE/GLSSRYXX.HTM - 204k -

[Cached](#) - [Similar pages](#)**[PDF] Red Hat Glossary**File Format: PDF/Adobe Acrobat - [View as HTML](#)An open source version of lightweight Directory **Access** Protocol (**LDAP**). there is not enough main memory to **store the data** that a **system** is processing. ...web.mit.edu/rhel-doc/4/RH-DOCS/pdf/rh-glossary-en.pdf - [Similar pages](#)**Exam Cram - 0131470248 - A Practical Guide to Red Hat® Linux ...**The receiving **system** recomputes the checksum based on the received **data** and and **access system** files but does not use a local disk to **store** user files. ...safari.examcram2.com/0131470248/gloss01 - [Similar pages](#)**[PDF] Active Directory as a Directory Service**File Format: PDF/Adobe Acrobat - [View as HTML](#)<http://www.google.com/search?q=Identity+and+Access+System+LDAP+query+filters+first+partition+e...> 11/26/2007

The Extensible Storage Engine (ESENT.dll) has **access** to the **database's** physical section. following examples as **first** parameter of the **LDAP filter**. ...
www.disco.unimib.it/uploadredirect/upload/AD-as-a-DS.pdf - [Similar pages](#)

[Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)

Identity and Access System LDAP q

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	"10682330".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:43
S2	2	"6341289".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 17:12
S3	5	(schema adj1 map\$3) and (partition\$3 adj1 (data or object))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 17:14
S4	2	"5629979".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 17:15
S5	19	"5629979"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 17:15
S6	1	"6999956".pn.	USPAT	OR	OFF	2006/04/11 16:39
S7	1	"6085188".pn.	USPAT	OR	OFF	2006/04/11 16:39
S8	1246	((relational adj1 database) RDBMS) and LDAP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:51
S9	196	S8 and ((data adj1 store\$1) same map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:45
S10	9	S8 and ((data adj1 store\$1) near map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:51
S11	4	S10 and (@rlad < "20031008" or @ad < "20031008")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:51

EAST Search History

S12	13	((relational adj1 database) RDBMS) near (LDAP adj directory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:51
S13	9	S12 and (@rlad < "20031008" or @ad < "20031008")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:54
S14	3	S12 and ((data adj1 store\$1) near map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:51
S15	0	S14 and (@rlad < "20031008" or @ad < "20031008")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:52
S16	1	"20030014442" and map\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:54
S17	1	"20030014442" and map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:54
S18	1	S17 and (data adj1 store\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:54
S19	1	"6,085,188".pn.	USPAT	OR	OFF	2006/09/26 11:14
S20	1	"6704873".pn.	USPAT	OR	OFF	2007/03/15 14:07